

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	4086 51	(manufactur\$3 or company or factory or station\$1) near25 (program\$5 or stor\$3 or adjust\$3 or writ\$3 or memory)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2006/03/06 18:04
2	BRS	L2	33	1 and circuit\$3 near25 ("sealing fluid" or seal\$3 near10 fluid\$3 or "molten epoxy") and (audible\$1 or sound\$3 or audio or transducer\$1 or piezoelectric\$1 or microphone\$1 or photoelectric\$1)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2006/03/06 18:37
3	BRS	L3	1	2 and circuit\$3 near25 ("pulse width modulated" or "PWM") and feedback\$1 near25 (conrol\$4 or processor\$1 or microprocessor\$1 or microcomputer\$1 or integrated or "ASIC" or "printed circuit")	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2006/03/06 18:15
4	BRS	L4	2092 4	1 and circuit\$3 same (audible\$1 or sound\$3 or audio or transducer\$1 or piezoelectric\$1 or microphone\$1 or photoelectric\$1)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2006/03/06 18:15
5	BRS	L6	0	5 and (340/384.1 or 340/384.4)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2006/03/06 18:19

	Type	L #	Hits	Search Text	DBs	Time Stamp
6	BRS	L7	1	5 and (340/384.6 or 340/384.7)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2006/03/06 18:20
7	BRS	L8	0	5 and (340/384.72 or 340/384.73)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2006/03/06 18:20
8	BRS	L9	5	5 and (340/10.51 or "340"/\$.ccls.)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2006/03/06 18:24
9	BRS	L10	0	5 and (340/539.69 or 340/539.72)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2006/03/06 18:24
10	BRS	L11	0	5 and (340/539.1 or 340/539.13)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2006/03/06 18:25

	Type	L #	Hits	Search Text	DBs	Time Stamp
11	BRS	L12	0	5 and (340/539.19 or 340/539.22)	US-PGPUB; USPAT; EPO; JPO; DERWEN T	2006/03/06 18:34
12	BRS	L13	5	5 and (340/539.23 or "340"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWEN T	2006/03/06 18:35
13	BRS	L5	39	4 and circuit\$3 near25 ("pulse width modulated" or "PWM") and feedback\$1 near25 (conrol\$4 or processor\$1 or microprocessor\$1 or microcomputer\$1 or integrated or "ASIC" or "printed circuit")	US-PGPUB; USPAT; EPO; JPO; DERWEN T	2006/03/06 18:26
14	BRS	L14	1	5 and (330/127 or 330/297)	US-PGPUB; USPAT; EPO; JPO; DERWEN T	2006/03/06 18:34
15	BRS	L15	2	5 and (310/317 or "310"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWEN T	2006/03/06 18:35

	Type	L #	Hits	Search Text	DBs	Time Stamp
16	BRS	L16	1	5 and circuit\$3 same ("sealing fluid" or seal\$3 near10 fluid\$3 or "molten epoxy")	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2006/03/06 18:37